

NOTHELLE Audi A6 Saloon / A6 Avant (4F)

Obj.č. Popis

Cena Kč s DPH

Engine performance enhancements

Base model 2.0 TDI

2.0 TDI, 103 kW (140 bhp), 320 Nm bei 1.750-2.500 rpm. Performance enhancement optionally to:

NTB 001 003	N TRONIC BOX: 121 kW (164 bhp); 381 Nm at 1.750 rpm. (also for vehicles with particulate filter).	26640
4F 001 004	LEADER CHIP: 126 kW (171 bhp) at 4.000 rpm.; 390 Nm at 1.750 rpm. (also for vehicles with particulate filter).	23890
4F 001 005	BULL CHIP: 134 kW (182 bhp) at 4.000 rpm.; 400 Nm at 1.750 rpm. (not for vehicles with particulate filter).	25670

Vmax: 8-12 kph faster than production model; 0-100 kph: 1,2 sec. faster than production model.
Engine fuel: Diesel.

Base model 2.7 TDI V6

2.7 TDI V6, 132 kW (180 bhp), 380 Nm at 1.400-3.300 rpm. Performance enhancement optionally to:

NTB 001 008	N TRONIC BOX: 159 kW (216 bhp); 457 Nm. Certificate in preparation. (also for vehicles with particulate filter).	
4F 001 006	LEADER CHIP: 158 kW (215 bhp) at 4.200 rpm.; 440 Nm at 2.250 rpm. (also for vehicles with particulate filter).	
4F 001 007	BULL CHIP: 168 kW (228 bhp) at 4.200 rpm.; 457 Nm at 2.000 rpm. (not for vehicles with particulate filter).	

Vmax: 7-16 kph faster than production model; 0-100 kph: 1,0-2,5 sec. faster than production model.
Engine fuel: Diesel.

Base model 3.0 TDI V6

3.0 TDI V6, 165 kW (224 bhp), 450 Nm at 1.400-3.250 rpm. Performance enhancement optionally to:

NTB 001 008	N TRONIC BOX: 199 kW (271 bhp); 541 Nm. (also for vehicles with particulate filter).	48450
4F 001 001	LEADER CHIP: 199 kW (270 bhp) at 4.400 rpm.; 550 Nm at 1.750 rpm. (also for vehicles with particulate filter).	30310
4F 001 002	BULL CHIP: 206 kW (280 bhp) at 4.400 rpm.; 583 Nm at 2.500 rpm. (not for vehicles with particulate filter).	32100

Vmax: 10-15 kph faster than production model; 0-100 kph: 1,0-2,5 sec. faster than production model.
Engine fuel: Diesel.

Base model 2.0 TFSI

2.0 TFSI, 125 kW (170 bhp), 280 Nm at 1.800-4.200 rpm. Performance enhancement optionally to:

4F 001 008	LEADER CHIP: 154 kW (210 bhp) at 6.500 rpm.; 338 Nm at 1.800 rpm.	27460
4F 001 009	BULL CHIP: 160 kW (217 bhp) at 6.500 rpm.; 347 Nm at 1.800 rpm.	29240
4F 001 010	Vehicles with multitronic: ECONO CHIP: 154 kW (210 bhp); 330 Nm at 1.800 rpm.	25670

Vmax: 18 kph faster than production model; 0-100 kph: 1,0 sec. faster than production model.
Engine fuel: Premium 98.

Base model 2.4 V6

4F 001 011 **2.4 V6, 130 kW (177 bhp), 230 Nm at 3.000-5.000 rpm.**

LEADER CHIP: Performance enhancement of 11 kW (15 bhp); torque enhancement of 20 Nm at 3.300 rpm.
Vmax: 6 kph faster than production model; 0-100 kph: 0,3 sec. faster than production model.
Engine fuel: Premium 98.

22100

NOTHELLE Audi A6 Saloon / A6 Avant (4F)

Obj.č. Popis

Cena Kč s DPH

Base model 3.2 FSI V6

4F 001 012 **3.2 FSI V6, 188 kW (256 bhp), 330 Nm at 3.250 rpm.**

LEADER CHIP: Performance enhancement of 11 kW (15 bhp); torque enhancement of 25 Nm at 3.200 rpm.
Vmax: 5 kph faster than production model; 0-100 kph: 0,2 sec. faster than production model.
Engine fuel: Premium 98.

22100

Base model 4.2 V8

4F 001 013 **4.2 V8, 246 kW (335 bhp), 420 Nm at 3.500 rpm.**

LEADER CHIP: Performance enhancement of 12 kW (16 bhp); torque enhancement of 15 Nm at 3.500 rpm.
Vmax: 15 kph faster than production model; 0-100 kph: 0,2 sec. faster than production model.
Engine fuel: Premium 98.

23890

Sport exhaust systems

Sport rear mufflers

Sport rear muffler. 4 tailpipes, fitting to production exhaust system, only in combination with nothelle rear apron attachment 4F 006 002 - 4F 006 003, 100% stainless steel, sonorous/unobtrusive sound, higher torque and performance. Tailpipe design round, each 76 mm, straight cut, chrome-plated, rolled-up, nothelle logotype embossed.

4F 004 001 A6 front wheel drive / quattro Saloon / Avant 2.0 TDI, 2.0 TFSI, 2.4 V6, 2.7 TDI, 3.0 TDI, 3.2 V6.

34460

Sport rear muffler. 4 tailpipes, fitting to production exhaust system, only in combination with nothelle rear apron attachment 4F 006 002 - 4F 006 003, 100% stainless steel, sonorous/sportive sound, higher torque and performance. Tailpipe design round, each 76 mm, beveled cut, chrome-plated, rolled-up, nothelle logotype embossed.

4F 004 ??? A6 4.2 V8 quattro Saloon / Avant.

46060

Light alloy wheels

Light alloy rims

NOVEDRA VII. Shiny silver, polished rim base, centre-cap in brushed aluminium with glossy nothelle sword.

FEL 007 028 **8.0 x 18 offset 35.**

soon available

NOVEDRA VII SPORT. One-piece in multi-part optic, brilliant silver, polished rim base, centre-cap in brushed aluminium with glossy nothelle sword.

FEL 007 029 **8.5 x 19 offset 35.**

18210

NOTHELLE Audi A6 Saloon / A6 Avant (4F)

Obj.č. Popis

Cena Kč s DPH

NOVEDRA VII SPORT black edition. One-piece in multi-part optic, glossy black, polished rim base, centre-cap in brushed aluminium with glossy nothelle sword.

FEL 007 032 **8.5 x 19 offset 35.**

18930

NOVEDRA VII SPORT brilliance edition. One-piece in multi-part optic, high-gloss polished. Elaborate surface finishing through ball polishing and high-gloss densification includes the visible parts of the inside. This finishing lends the rim an inimitable optic, and additionally serves a better stability. Sealed with transparent stove-enamel. Centre-cap in brushed aluminium with glossy nothelle sword.

FEL 007 033 **8.5 x 19 offset 35.**

Light alloy wheels with tyre

NOVEDRA VII, including mounted ultra high-performance tyres. Shiny silver, polished rim base, centre-cap in brushed aluminium with glossy nothelle sword.

8.0 x 18 offset 35. Optionally with the following tyre dimensions:

KPL 007 660 235/40R18-XL 95Y, Kumho Ecsta KU31 (Excellent wet/dry weather performance, low noise-level).

soon available

KPL 007 651 235/40R18-93Y, Kumho Ecsta KU19 (Excellent steering control, low noise-level/treadwear).

soon available

KPL 007 661 235/40R18-91Y, Kumho Ecsta MX KU15 (Near racing tyre for road-use, maximum grip).

soon available

KPL 007 662 235/40R18-91Y, Bridgestone Potenza RE 050 A (Outstanding handling, low noise-level).

soon available

NOVEDRA VII SPORT, including mounted ultra high-performance tyre. One-piece in multi-part optic, shiny silver, polished rim base, centre-cap in brushed aluminium with glossy nothelle sword.

8.5 x 19 offset 35. Optionally with the following tyre dimensions:

KPL 007 ??? 245/35R19-XL 93Y, Kumho Ecsta KU31 (Excellent wet/dry weather performance, low noise-level).

26740

KPL 007 609 245/35R19-RF 93Y, Kumho Ecsta KU19 (Excellent steering control, low noise-level/treadwear).

26920

KPL 007 ??? 245/35R19-RF 93Y, Kumho Ecsta KU15 (Near racing tyre for road-use, maximum grip).

28530

KPL 007 610 245/35R19-RF 93Y/ZR, Bridgestone Potenza S-03 PP (Excellent wet/dry weather handling).

29810

KPL 007 611 255/35R19-XL 96Y/ZR, Bridgestone Potenza RE 050 A (Outstanding handling, low noise-level).

29990

NOVEDRA VII SPORT black edition, including mounted ultra high-performance tyre. One-piece in multi-part optic, glossy black, polished rim base, centre-cap in brushed aluminium with glossy nothelle sword.

8.5 x 19 offset 35. Optionally with the following tyre dimensions:

KPL 007 ??? 245/35R19-XL 93Y, Kumho Ecsta KU31 (Excellent wet/dry weather performance, low noise-level).

27460

KPL 007 ??? 245/35R19-RF 93Y, Kumho Ecsta KU19 (Excellent steering control, low noise-level/treadwear).

27640

KPL 007 ??? 245/35R19-RF 93Y, Kumho Ecsta KU15 (Near racing tyre for road-use, maximum grip).

29240

KPL 007 ??? 245/35R19-RF 93Y/ZR, Bridgestone Potenza S-03 PP (Excellent wet/dry weather handling).

30530

KPL 007 ??? 255/35R19-XL 96Y/ZR, Bridgestone Potenza RE 050 A (Outstanding handling, low noise-level).

30710

NOVEDRA VII SPORT brilliance edition, including mounted ultra high-performance tyre. One-piece in multi-part optic, high-gloss polished. Elaborate surface finishing through ball polishing and high-gloss densification includes the visible parts of the inside. This finishing lends the rim an inimitable optic, and additionally serves a better stability. Sealed with transparent stove-enamel. Centre-cap in brushed aluminium with glossy nothelle sword.

8.5 x 19 offset 35. Optionally with the following tyre dimensions:

KPL 007 ??? 245/35R19-XL 93Y, Kumho Ecsta KU31 (Excellent wet/dry weather performance, low noise-level).

36030

KPL 007 ??? 245/35R19-RF 93Y, Kumho Ecsta KU19 (Excellent steering control, low noise-level/treadwear).

36200

KPL 007 ??? 245/35R19-RF 93Y, Kumho Ecsta KU15 (Near racing tyre for road-use, maximum grip).

37810

KPL 007 ??? 245/35R19-RF 93Y/ZR, Bridgestone Potenza S-03 PP (Excellent wet/dry weather handling).

39100

NOTHELLE Audi A6 Saloon / A6 Avant (4F)

Obj.č.	Popis	Cena Kč s DPH
KPL 007 ???	255/35R19-XL 96Y/ZR, Bridgestone Potenza RE 050 A (Outstanding handling, low noise-level).	39270

Light alloy wheel accessories

ZUB 007 006	Centre-cap. With nothelle sword. Please specify exact rim type.	180
ZUB 007 008	Lockable wheel nuts for rims with tapered head. For 4 rims. Effective anti-theft protection.	860
ZUB 007 010	Lockable wheel nuts for rims with bullet head. For 4 rims. Effective anti-theft protection.	860

Sport suspension systems

Sport springs

Sport springs. Set of sport springs progressive, comfortable setting, lowering ca. 40 mm. Mounting time includes gauging.

FED 003 013	A6 Saloon front wheel drive / quattro, up to 1215 kg front axle load.	8110
FED 003 014	A6 Saloon front wheel drive / quattro, from 1216 kg front axle load upwards.	8110
FED 003 018	A6 Avant front wheel drive / quattro, up to 1215 kg front axle load.	8110
FED 003 019	A6 Avant front wheel drive / quattro, from 1216 kg front axle load upwards.	8110

Sport suspensions

Sport suspension system. Set of sport springs progressive with adjusted performance shock absorbers, comfortable setting. Lowering ca. 40 mm. Mounting time includes gauging.

FAH 003 020	A6 Saloon front wheel drive / quattro, to 1215 kg front axle load.	soon available
FAH 003 021	A6 Saloon front wheel drive / quattro, from 1216 kg front axle load.	soon available
FAH 003 022	A6 Avant front wheel drive / quattro, to 1215 kg front axle load.	soon available
FAH 003 023	A6 Avant front wheel drive / quattro, from 1216 kg front axle load.	soon available

Height-adjustable coil-overs

Sport suspension system, adjustable. Sport springs with additional springs progressive with adjusted gas pressure shock absorbers in upside-down technique. Height continuously adjustable even when already mounted. Sporty dynamic setting. Mounting time includes gauging.

FAH 003 024	A6 Saloon front wheel drive / quattro. Lowering range 30–60 mm.	39100
FAH 003 025	A6 Avant front wheel drive / quattro. Lowering range 30–60 mm.	soon available

Electronic sport suspension system

NOTHELLE Audi A6 Saloon / A6 Avant (4F)

Obj.č.	Popis N SUSPENSION CONTROL. Elektronisches Tieferlegungs-System per Zusatzmodul, Montage ohne besonderen Aufwand möglich. Sportliches Handling. Keine Beeinträchtigung der serienmäßigen Steuersysteme wie z.B. Fahrwerksverstellung (Dämpferabstimmung / Höhenniveau) über das MMI, Werkstattdiagnose, Niveauregulierung, Traktions- und Stabilitäts-Systeme. Erhaltung des Fahrkomfort durch geschwindigkeitsabhängige Regulierung, somit permanent ausreichender Einfederweg. Absenkung des Schwerpunkt und automatische Anpassung an die Fahrbahn gegebenheiten. Tieferlegung ca. 30mm, individuelle Feineinstellung um +/- 20mm im eingebauten Zustand möglich. Durch Steckverbindung einfache Wiederherstellung des Serienzustand möglich. Montagewert inkl. Vermessung.	Cena Kč s DPH
FAH 003 ???	A6 Limousine / Avant mit serienmäßigem adaptive air suspension.	38560

High-performance brake systems

High-performance brake system. Brembo aluminium hard calipers, speed red with engraved nothelle-logo, axial and radial vented drilled braking discs, compatible brake pads, stainless, coated, high-pressure enduring brake hose for front and rear. 17" or bigger wheels required.

For front axle left/right:

4F 002 001	342x34 mm brake disc dimension, 4-piston caliper one-piece large, brake pad surface 76,5 cm ² .	soon available
4F 002 002	342x34 mm brake disc dimension, 6-piston caliper two-piece small, brake pad surface 112 cm ² .	soon available
ZUB 002 001	Extra charge for optional special painting of brake calipers, in black or silver.	9570

ZUB 002 002	Motor racing brake fluid Castrol. 2 litres, for longlasting optimisation of the braking pressure point and prevention of vapour lock within the brake system.	1500
-------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------

Aerodynamic, Design

Note on nothelle aerodynamic components: All aerodynamic components are designed to be attachable to the serial aprons and sheet metal parts of the vehicle. Therefore an easy mounting is guaranteed. Serial foglights, head light cleaning systems as well as a serial Audi parking system can still be used without altering the components.

Aerodynamic sole components

Front spoiler lip. fleXcompound, carbon fibre inner surface, ready for spraying, incl. mounting material (not for vehicles with S line exterior package).

4F 006 001	A6 Saloon / A6 Avant.	14640
LAK 006 005	Painting in vehicle colour.	6610

Rear apron insert. Allows for mounting a 4-tube exhaust system. Applicable with serial and nothelle rear muffler. fleXcompound, carbon fibre inner surface, ready for spraying, incl. mounting material.

4F 006 002	A6 Saloon.	11790
4F 006 003	A6 Avant.	11790
LAK 006 009	Painting in vehicle colour.	3400

Leather interiors

Type specific leather interiors on request.

NOTHELLE Audi A6 Saloon / A6 Avant (4F)

Obj.č. Popis

Cena Kč s DPH

Selection

Emblem nothelle master logo (Sword with logotype). 3-dimensional emblem.

ACC 006 001	Chrome, 125 x 35 mm, self-adhesive.	540
ACC 006 002	Black, 125 x 35 mm, self-adhesive.	540

Emblem nothelle master logo (Sword with logotype).

ACC 006 003	Aluminium-foil, chromed, 60 x 17 mm, self-adhesive.	180
ACC 006 004	Foil, black, 125 x 35 mm, self-adhesive.	150
ACC 006 005	Foil, black, 70 x 18 mm, self-adhesive.	110
ACC 006 006	Foil, silver, 125 x 35 mm, self-adhesive.	150
ACC 006 007	Foil, silver, 70 x 18 mm, self-adhesive.	110
